EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	25590	(transform$6 with construct$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:20
S2	16809	(transform$6 with construct$1) same ((xml or clr or markup) or ((object adj orient$2) or C$2 or java or vb or (visual adj basic)) or (relational or sql))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 16:06
S3	188	(transform$6 with construct$1) same ((xml or clr or markup) or ((object adj orient$2) or C$2 or java or vb or (visual adj basic)) or (relational or sql)) and (field with label)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:20
S4	2	("20050216508").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/11 16:09
S5	1	S4 and bank	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:24
S6	15	(map$4 with (construct or structure)) and (serializ$3 same deserializ$3) and (schema$1 with (bank$1 or repositor$3 or database or (data adj base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 16:20
S7	1	S4 and bank and (suppress with field with label) and (introduce with field with label)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:41

EAST Search History

S8	1	(map$4 with (construct or structure)) and (serializ$3 same deserializ$3) and (schema$1 with (bank$1 or repositor$3 or database or (data adj base))) and ((name$1 with construct) with (anonymous with construct))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 16:19
S9	2	(map$4 with (construct or structure)) and (serializ$3 same deserializ$3) and (schema$1 with (bank$1 or repositor$3 or database or (data adj base))) and ((name$1 with construct))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 16:19
S10	9	(map$4 with (construct or structure)) and (serializ$3 same deserializ$3) and (schema$1 with (bank$1 or repositor$3 or database or (data adj base))) and (((markup adj language) or (object adj oriented) or relational or (user adj interface)) with (construct$1 or structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 16:32
S11	873	(map$4 with (construct or structure) with domain$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 16:33
S12	2	(map$4 with (construct or structure) with domain$1) same isomorphic$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:21
S13	1	("6754670").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/11 16:57
S14	20	(map$4 with (construct or structure)) same isomorphic$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:22

S15	20	(map$4 with (construct or structure)) same isomorphic$6 and field$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:25
S16	0	S4 and isomophic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:24
S17	1	S4 and isomorphic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:24
S18	42	((map$4 with (construct or structure)) same (isomorphic$6 or lossless)) and ·field$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:25
S19	1864	((construct$1 or structure$1) with (map$4 or transform$6)) and ((construct$1 or structure$1) with (named or unnamed or anonymous))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:44
S20	2	((construct$1 or structure$1) with (map$4 or transform$6)) and ((construct$1 or structure$1) with (named and anonymous))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:48
S21	178	((construct$1 or structure$1) with (map$4 or transform$6)) and (data adj bind$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:48

S22	12	((construct$1 or structure$1) with (map$4 or transform$6)) and (data adj bind$3) and ((annotat$3 with (type$1 or schema))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:55
S23	20	((construct$1 or structure$1) with (map$4 or transform$6)) and (data adj bind$3) and (object adj oriented) and markup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:55
S24	1	((construct$1 or structure$1) with (map$4 or transform$6)) and (data adj bind$3) and (object adj oriented) and markup and ((object adj oriented) with (typ$3 with (name$1 or nominal)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:57
S25	5	((construct$1 or structure$1) with (map$4 or transform$6)) and (data adj bind$3) and (object adj oriented) and markup and ((object adj oriented) same (typ$3 with (name$1 or nominal)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/11 17:57
S26	1	((transform$6 or map$4) with (markup or (mark adj up) or xml) with (object adj orient$2)) and ((serializ$6 with deserializ$6) or (serializ$6 and deserial$6)) and ((database or bank or repository or (data adj base)) with (mediat3 or intermediat$4) with schema)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:24
S27	2	((transform$6 or map$4) with (markup or (mark adj up) or xml) with (object adj orient$2)) and ((serializ$6 with deserializ$6) or (serializ$6 and deserial$6)) and ((database or bank or repository or (data adj base)) with schema)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:25
S28	12	((transform$6 or map$4) same (markup or (mark adj up) or xml) same (object adj orient$2)) and ((serializ$6 with deserializ$6) or (serializ$6 and deserial$6)) and ((database or bank or repository or (data adj base)) with schema)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:30

S29	11	((transform$6 or map$4) same (markup or (mark adj up) or xml) same (object adj orient$2)) and ((serializ$6 with deserializ$6) or (serializ$6 and deserial$6)) and (schema with XSD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:31
S30	170	((transform$6 or map$4) same (markup or (mark adj up) or xml) same (object adj orient$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:31
S31	15	((transform$6 or map$4) same (markup or (mark adj up) or xml) same (object adj orient$2)) and ((serializ$6 with deserializ$6) or (serializ$6 and deserial$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:31
S32	15	((transform$6 or map$4) same (markup or (mark adj up) or xml) same (object adj orient$2)) and serializ$6 and deserial$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:31
S33	15	((transform$6 or map$4) same (markup or (mark adj up) or xml) same (object adj orient$2)) and serializ$6 and deserializ$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:32
S34	15	((transform$6 or map$4) same (markup or (mark adj up) or xml) same (object adj orient$2)) and serializ$6 and deserializ$6 and schema	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:32
S35	16	((transform$6 or map$4 or convert$3) same (markup or (mark adj up) or xml) same (object adj orient$2)) and serializ$6 and deserializ$6 and schema	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:43

S36	86	(type with map$4) same (map$4 with registry)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:44
S37	4	((type with map$4) same (map$4 with registry)) and ((markup or "xml" or (mark adj up)) with (object) with (structure$1 or construct$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:47
S38	0	((type with map$4) same (map$4 with registry)) and ((markup or "xml" or (mark adj up)) with (object adj orient$2)) and (structure$1 or construct$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:48
S39	0	((type with map$4) same (map$4 with registry)) and ((markup or "xml" or (mark adj up)) with (object adj orient$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 07:48
S40	2	((type with map$4) same (map$4 with registry)) and ((markup or "xml" or (mark adj up)) same (object adj orient$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 08:04
S41	86	((type with map$4) same (map$4 with registry))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 08:07
S42	8	((type with map$4) same (map$4 with registry)) and serializ$5 and deserializ$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 08:30

S43	5	((type with map$4 same (map$4 with registry)) and ((map$4 or transform$6 or convert$3) with (heterogenous or different) with format$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 08:32
S44	2	("2001/0039540").URPN.	USPAT	OR	OFF	2006/09/12 08:52
S45	1	(introduc$3 or add) with (delet$3 or suppress$3 or hid$3) with entity with (structure or construct) with (transform$6 or map$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 08:20
S46	7	(introduc$3 or add) with (delet$3 or suppress$3 or hid$3) with (entity or field$1 or tag$1 or element$1 or mane) with (structure or construct) with (transform$6 or map$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 08:21
S47	7	(introduc$3 or add) with (delet$3 or suppress$3 or hid$3) with (entity or field$1 or tag$1 or element$1 or name) with (structure or construct) with (transform$6 or map$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 08:22
S48	7	(introduc$3 or add) with (delet$3 or suppress$3 or hid$3) with (entity or field$1 or tag$1 or element$1 or name or indicia) with (structure or construct) with (transform$6 or map$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 08:23
S49	76	(isomorphic or lossless) with (map$4 or transform$6) with (structure$1 or construct$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 08:25
S50	78	(isomorphic or lossless) with (map$4 or transform$6) with (structure$1 or construct$1 or schema)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 08:52

S51	398	(isomorphic or lossless) with (map$4 or transform$6) with (data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 08:52
S52	11	(isomorphic or lossless) adj data adj (map$4 or transform$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 11:05
S53	10693	(field with label)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 11:08
S54	1707	(field with label) and ((map$4 or transform6) with (data or structure or construct))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 11:09
S55	357	(field with label) and ((map$4 or transform6) with (data or structure or construct)) and (markup or (mark adj up) or xml) and ((object adj orient$2) or "C" or "C++" or java)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 11:11
S56	133	(field with label) and ((map$4 or transform6) with (data or structure or construct)) and ((markup or (mark adj up) or xml) with ((object adj orient$2) or "C" or "C++" or java))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 11:11
S57	6	((database or (data adj base) or repository) with (field with label)) and ((map$4 or transform6) with (data or structure or construct)) and ((markup or (mark adj up) or xml) with ((object adj orient$2) or "C" or "C++" or java))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 11:18

S58	577	((database or (data adj base) or repository) with (field)) and ((map$4 or transform6) with (data or structure or construct)) and ((markup or (mark adj up) or xml) with ((object adj orient$2) or "C" or "C++" or java))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 11:19
S59	59	((database or (data adj base) or repository) with (field)) and (((map$4 or transform6) with (data or structure or construct)) same ((markup or (mark adj up) or xml) with ((object adj orient$2) or "C" or "C++" or java)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 11:19
S60	13	((database or (data adj base) or repository) with (field)) and (((map$4 or transform6) with (data or structure or construct)) same ((markup or (mark adj up) or xml) with ((object adj orient$2) or "C" or "C++" or java))) and ((add$3 or modif$7 or introduc$5 or delet$3 or hid$3) with field$1 with (data or structure or construct or format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 16:38
S61	6	(("6721727") or ("6643633") or ("6631497") or ("6504554") or ("6516322") or ("4559614")).PN.	USPAT; USOCR	OR	OFF	2006/09/13 12:26
S62	1	((database or (data adj base) or repository) with (field)) and (((map$4 or transform6) with (data or structure or construct)) same ((markup or (mark adj up) or xml) with ((object adj orient$2) or "C" or "C++" or java))) and ((add$3 or modif$7 or introduc$5 or delet$3 or hid$3) with field$1 with (data or structure or construct or format)) and (serializ$6 or deserializ$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 15:25
S63	4	((database or (data adj base) or repository) with (field)) and (((map$4 or transform6) with (data or structure or construct)) same ((markup or (mark adj up) or xml) with ((object adj orient$2) or "C" or "C++" or java))) and (serializ$6 and deserializ$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 15:26

S64	12	((database or (data adj base) or repository) with (field)) and (((map$4 or transform6) with (data or structure or construct)) same ((markup or (mark adj up) or xml) with ((object adj orient$2) or "C" or "C++" or java))) and ((add$3 or modif$7 or introduc$5 or delet$3 or hid$3) with field$1 with (data or structure or construct or format)) and ((user$1 or developer) with (map$4 or schema or transforma$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:12
S65	0	((database or (data adj base) or repository) with (field)) and (((map$4 or transform6) with (data or structure or construct)) same ((markup or (mark adj up) or xml) with ((object adj orient$2) or "C" or "C++" or java))) and ((add$3 or modif$7 or introduc$5 or delet$3 or hid$3) with field$1 with (data or structure or construct or format)) and ((user$1 or developer) with (map$4 or schema or transforma$6)) and (annotat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 16:42
S66	123	((database or (data adj base) or repository) with (field)) and ((map$4 or transform6) with (data or structure or construct)) and (object with relational with (markup or xml))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:13
S67	0	((database or (data adj base) or repository) with (field)) and ((map$4 or transform6) with (data or structure or construct)) and (object with relational with (markup or xml)) and (bind$3 with user with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:16
S68	28	((database or (data adj base) or repository) with (field)) and ((map$4 or transform6) with (data or structure or construct)) and (object with relational with (markup or xml)) and (bind$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:16
S69	4	((database or (data adj base) or repository) with (field)) and ((map$4 or transform6) with (data or structure or construct)) and (object with relational with (markup or xml)) and (bind$3 with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:16

S70	5448	707/104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:19
S71	190	(transform$6 with construct$1) same ((xml or clr or markup) or ((object adj orient$2) or C$2 or java or vb or (visual adj basic)) or (relational or sql)) and (field with label)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:20
S72	2	S70 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 16:23